Brain Research, 404 (1987) 408–410
Elsevier

Author Index

Akaike, N., see Inoue, M., 301
Alstermark, B., Lundberg, A., Pinter, M. and Sasaki, S., Long C_3–C_5 propriospinal neurones in the cat, 382
Alstermark, B., Lundberg, B., Pinter, M. and Sasaki, S., Vestibular effects in long C_3–C_5 propriospinal neurones, 389
Alstermark, B., Lundberg, A., Pinter, M. and Sasaki, S., Subpopulations and functions of long C_3–C_5 propriospinal neurones, 395
Aniksztejn, L., Charton, G. and Ben-Ari, Y., Selective release of endogenous zinc from the hippocampal mossy fibers in situ, 58

Backus, K.H., see Kettenmann, H., 1
Balaban, P.M., Vehovszky, A., Maximova, O.A. and Zakharov, I.S., Effect of 5,7-dihydroxytryptamine on the food-aversive conditioning in the snail *Helix lucorum* L, 201
Baldino Jr., F., see Blumstein, L.K., 293
Baran, H., Heldt, R. and Hertting, G., Increased prostaglandin formation in rat brain following systemic application of kainic acid, 107
Ben-Ari, Y., see Aniksztejn, L., 58
Bianchi, A.L., see Grelot, L., 335
Black, J.A., see Fields, R.D., 21
Blaustein, J.D., The α_1-noradrenergic antagonist prazosin decreases the concentration of estrogen receptors in female rat hypothalamus, 39
Blaustein, J.D. and Letcher, B., Noradrenergic regulation of cytosol estrogen receptors in female rat hypothalamus: possible role of α_2-noradrenergic receptors, 51
Blumstein, L.K., Crawley, J.N., Davis, L.G. and Baldino Jr., F., Neuropeptide modulation of apomorphine-induced stereotyped behavior, 293
Boudinot, E., see Foutz, A.S., 10
Brussaard, A.B., see De Graan, P.N.E., 345
Burěs, J., see Gorelova, N.A., 379

Campos, H.A., see Gómez, M.N., 304
Cano, J., see Satorre, J., 231
Carpenter, C.L., see Greenberg, D.A., 401
Champagnat, J., see Foutz, A.S., 10
Charton, G., see Aniksztejn, L., 58
Church, R.M., see Olton, D.S., 180
Ciriello, J., see Mogenson, G.J., 221
Coderre, T.J. and Melzack, R., Cutaneous hyperalgesia: contributions of the peripheral and central nervous systems to the increase in pain sensitivity after injury, 95
Crawley, J.N., see Blumstein, L.K., 293
Cupello, A., see Hydén, H., 405

Davis, L.G., see Blumstein, L.K., 293
De Graan, P.N.E., Schrama, L.H., Brussaard, A.B., Jork, R. and Gispen, W.H., 4-Aminopyridine affects synaptosomal protein phosphorylation in rat hippocampal slices, 345
Dekker, N.P., see LaVail, J.H., 127
De la Roza, C., see Satorre, J., 231
Denavit-Saubié, M., see Foutz, A.S., 10
De Prins, E., see Reid, K.H., 361

DiBona, G.F., see Koepke, J.P., 80
Dieringer, N., The role of compensatory eye and head movements for gaze stabilization in the unrestrained frog, 33

Eden, A.R., see Gannon, P.J., 257
Edwards, P.M., see Verhaagen, J., 142
El Ganouni, S., Forni, C. and Nieoullon, A., In vitro and in vivo characterization of the properties of a multifiber carbon electrode allowing long-term electrochemical detection of dopamine in freely moving animals, 239

Fields, R.D., Black, J.A. and Waxman, S.G., Filipin-cholesterol binding in CNS axons prior to myelination: evidence for microheterogeneity in premyelinated axolemma, 21
Firth, B.T. and Kennaway, D.J., Melatonin content of the pineal, parietal eye and blood plasma of the lizard, *Trachydosaurus rugosus*: effect of constant and fluctuating temperature, 313
Forni, C., see El Ganouni, S., 239
Foutz, A.S., Boudinot, E., Morin-Surun, M.-P., Champagnat, J., Gonsalves, S.F. and Denavit-Saubié, M., Excitability of 'silent' respiratory neurons during sleep–waking states: an iontophoretic study in undrugged chronic cats, 10
Fujita, S.C., see Obata, K., 169
Fukuda, Y., see Wakakuwa, K., 211
Funakoshi, M., see Ninomiya, Y., 350

Gannon, P.J. and Eden, A.R., A specialized innervation of the tensor tympani muscle in *Macaca fascicularis*, 257
Garland, J., see Mogenson, G.J., 221
Girault, J.M., see Voisin, P.J., 65
Gispen, W.H., see Verhaagen, J., 142
Gispen, W.H., see De Graan, P.N.E., 345
Gómez, M.N. and Campos, H.A., Cholinergic manipulations in the rat basolateral amygdaloid nucleus on locomotor activity induced by amphetamine, 304
Gonsalves, S.F., see Foutz, A.S., 10
Gorelova, N.A., Křivánek, J. and Burěs, J., Functional and metabolic correlates of long series of cortical spreading depression waves in rats, 379
Gorenstein, C., see Robertson, R.T., 282
Gottesfeld, Z., see Swann, A.C., 323
Greenberg, D.A., Carpenter, C.L. and Messing, R.O., Interaction of calmodulin inhibitors and protein kinase C inhibitors with voltage-dependent calcium channels, 401
Gregory, J.E., Kenins, P. and Proske, U., Can lactate-evoked cardiovascular responses be used to identify muscle ergoreceptors?, 375
Grelot, L. and Bianchi, A.L., Differential effects of halothane anesthesia on the pattern of discharge of inspiratory and expiratory neurons in the region of the retrofacial nucleus, 335

Hamill, R.W., see Newton, B.W., 151
Harrelson, A. and McEwen, B., Gonadal steroid modulation of neurotransmitter-stimulated cAMP accumulation in the hippocampus of the rat, 89
Heimer, L., see Zahm, D.S., 327

Brain Research, 404 (1987) 408–410
Elsevier

Author Index

Akaike, N., see Inoue, M., 301
Alstermark, B., Lundberg, A., Pinter, M. and Sasaki, S., Long C_3–C_5 propriospinal neurones in the cat, 382
Alstermark, B., Lundberg, B., Pinter, M. and Sasaki, S., Vestibular effects in long C_3–C_5 propriospinal neurones, 389
Alstermark, B., Lundberg, A., Pinter, M. and Sasaki, S., Subpopulations and functions of long C_3–C_5 propriospinal neurones, 395
Aniksztejn, L., Charton, G. and Ben-Ari, Y., Selective release of endogenous zinc from the hippocampal mossy fibers in situ, 58

Backus, K.H., see Kettenmann, H., 1
Balaban, P.M., Vehovszky, A., Maximova, O.A. and Zakharov, I.S., Effect of 5,7-dihydroxytryptamine on the food-aversive conditioning in the snail *Helix lucorum* L, 201
Baldino Jr., F., see Blumstein, L.K., 293
Baran, H., Heldt, R. and Hertting, G., Increased prostaglandin formation in rat brain following systemic application of kainic acid, 107
Ben-Ari, Y., see Aniksztejn, L., 58
Bianchi, A.L., see Grelot, L., 335
Black, J.A., see Fields, R.D., 21
Blaustein, J.D., The α_1-noradrenergic antagonist prazosin decreases the concentration of estrogen receptors in female rat hypothalamus, 39
Blaustein, J.D. and Letcher, B., Noradrenergic regulation of cytosol estrogen receptors in female rat hypothalamus: possible role of α_2-noradrenergic receptors, 51
Blumstein, L.K., Crawley, J.N., Davis, L.G. and Baldino Jr., F., Neuropeptide modulation of apomorphine-induced stereotyped behavior, 293
Boudinot, E., see Foutz, A.S., 10
Brussaard, A.B., see De Graan, P.N.E., 345
Burěs, J., see Gorelova, N.A., 379

Campos, H.A., see Gómez, M.N., 304
Cano, J., see Satorre, J., 231
Carpenter, C.L., see Greenberg, D.A., 401
Champagnat, J., see Foutz, A.S., 10
Charton, G., see Aniksztejn, L., 58
Church, R.M., see Olton, D.S., 180
Ciriello, J., see Mogenson, G.J., 221
Coderre, T.J. and Melzack, R., Cutaneous hyperalgesia: contributions of the peripheral and central nervous systems to the increase in pain sensitivity after injury, 95
Crawley, J.N., see Blumstein, L.K., 293
Cupello, A., see Hydén, H., 405

Davis, L.G., see Blumstein, L.K., 293
De Graan, P.N.E., Schrama, L.H., Brussaard, A.B., Jork, R. and Gispen, W.H., 4-Aminopyridine affects synaptosomal protein phosphorylation in rat hippocampal slices, 345
Dekker, N.P., see LaVail, J.H., 127
De la Roza, C., see Satorre, J., 231
Denavit-Saubié, M., see Foutz, A.S., 10
De Prins, E., see Reid, K.H., 361

DiBona, G.F., see Koepke, J.P., 80
Dieringer, N., The role of compensatory eye and head movements for gaze stabilization in the unrestrained frog, 33

Eden, A.R., see Gannon, P.J., 257
Edwards, P.M., see Verhaagen, J., 142
El Ganouni, S., Forni, C. and Nieoullon, A., In vitro and in vivo characterization of the properties of a multifiber carbon electrode allowing long-term electrochemical detection of dopamine in freely moving animals, 239

Fields, R.D., Black, J.A. and Waxman, S.G., Filipin-cholesterol binding in CNS axons prior to myelination: evidence for microheterogeneity in premyelinated axolemma, 21
Firth, B.T. and Kennaway, D.J., Melatonin content of the pineal, parietal eye and blood plasma of the lizard, *Trachydosaurus rugosus*: effect of constant and fluctuating temperature, 313
Forni, C., see El Ganouni, S., 239
Foutz, A.S., Boudinot, E., Morin-Surun, M.-P., Champagnat, J., Gonsalves, S.F. and Denavit-Saubié, M., Excitability of 'silent' respiratory neurons during sleep–waking states: an iontophoretic study in undrugged chronic cats, 10
Fujita, S.C., see Obata, K., 169
Fukuda, Y., see Wakakuwa, K., 211
Funakoshi, M., see Ninomiya, Y., 350

Gannon, P.J. and Eden, A.R., A specialized innervation of the tensor tympani muscle in *Macaca fascicularis*, 257
Garland, J., see Mogenson, G.J., 221
Girault, J.M., see Voisin, P.J., 65
Gispen, W.H., see Verhaagen, J., 142
Gispen, W.H., see De Graan, P.N.E., 345
Gómez, M.N. and Campos, H.A., Cholinergic manipulations in the rat basolateral amygdaloid nucleus on locomotor activity induced by amphetamine, 304
Gonsalves, S.F., see Foutz, A.S., 10
Gorelova, N.A., Křivánek, J. and Burěs, J., Functional and metabolic correlates of long series of cortical spreading depression waves in rats, 379
Gorenstein, C., see Robertson, R.T., 282
Gottesfeld, Z., see Swann, A.C., 323
Greenberg, D.A., Carpenter, C.L. and Messing, R.O., Interaction of calmodulin inhibitors and protein kinase C inhibitors with voltage-dependent calcium channels, 401
Gregory, J.E., Kenins, P. and Proske, U., Can lactate-evoked cardiovascular responses be used to identify muscle ergoreceptors?, 375
Grelot, L. and Bianchi, A.L., Differential effects of halothane anesthesia on the pattern of discharge of inspiratory and expiratory neurons in the region of the retrofacial nucleus, 335

Hamill, R.W., see Newton, B.W., 151
Harrelson, A. and McEwen, B., Gonadal steroid modulation of neurotransmitter-stimulated cAMP accumulation in the hippocampus of the rat, 89
Heimer, L., see Zahm, D.S., 327

Heldt, R., see Baran, H., 107
Hertting, G., see Baran, H., 107
Hertting, G., see Seregi, A., 113
Higuchi, T., see Negoro, H., 371
Honda, K., see Negoro, H., 371
Hoogland, P.V.J.M., see Stoof, J.C., 273
Hydén, H., Cupello, A. and Palm, A., Increase in chloride ion permeability across the nerve cell membrane after the endogenous antigen S-100 incorporation, 405

Inoue, H., see Obata, K., 169
Inoue, M., Sadoshima, J. and Akaike, N., Different actions of intracellular free calcium on resting and GABA-gated chloride conductances, 301

Jaffer, A., Russell, V.A. and Taljaard, J.J.F., Noradrenergic and dopaminergic modulation of thyrotropin secretion in the rat, 267
Janigro, D. and Schwartzkroin, P.A., Dissociaton of the IPSP and response to GABA during spreading depression-like depolarizations in hippocampal slices, 189
Jennekens, F.G.I., see Verhaagen, J., 142
Jennes, L., Sites of origin of gonadotropin releasing hormone containing projections to the amygdala and the interpeduncular nucleus, 339
Jones, S., see Koepke, J.P., 80
Jork, R., see De Graan, P.N.E., 345

Keller, M., see Seregi, A., 113
Kenins, P., see Gregory, J.E., 375
Kennaway, D.J., see Firth, B.T., 313
Kettenmann, H., Backus, K.H. and Schachner, M., γ-Aminobutyric acid opens Cl-channels in cultured astrocytes, 1
Koepke, J.P., Jones, S. and DiBona, G.F., α_2-Adrenoceptors in amygdala control renal sympathetic nerve activity and renal function in conscious spontaneously hypertensive rats, 80
Kojima, N., see Obata, K., 169
Koo, E.H., see LaVail, J.H., 127
Křivánek, J., see Gorelova, N.A., 379
Kruk, M.R., see Mos, J., 263

Labouesse, J., see Voisin, P.J., 65
Lammers, J.H.C.M., see Mos, J., 263
LaVail, J.H., Koo, E.H. and Dekker, N.P., Motoneuron loss in the abducens nucleus of the wobbler mice, 127
Letcher, B., see Blaustein, J.D., 51
Liebelt, H., see Willoughby, J.O., 319
Lumia, A.R., Zebrowski, A.F. and McGinnis, M.Y., Olfactory bulb removal decreases androgen receptor binding in amygdala and hypothalamus and disrupts masculine sexual behavior, 121
Lundberg, A., see Alstermark, B., 382
Lundberg, B., see Alstermark, B., 389
Lundberg, A., see Alstermark, B., 395

Majewska, M.D. and Schwartz, R.D., Pregnenolone-sulfate: an endogenous antagonist of the γ-aminobutyric acid receptor complex in brain, 355
Manteuffel, G., see Sperl, M., 332
Marrannes, R., see Reid, K.H., 361
Martino, A.M. and Strick, P.L., Corticospinal projections originate from the arcuate premotor area, 307
Maximova, O.A., see Balaban, P.M., 201
Meck, W.H., see Olton, D.S., 180

McEwen, B., see Harrelson, A., 89
McGinnis, M.Y., see Lumia, A.R., 121
Melvin, J.E., see Newton, B.W., 151
Melzack, R., see Coderre, T.J., 95
Menadue, M.F., see Willoughby, J.O., 319
Messing, R.O., see Greenberg, D.A., 401
Mizukoshi, T., see Ninomiya, Y., 350
Mogenson, G.J., Ciriello, J., Garland, J. and Wu, M., Ventral pallidum projections to mediodorsal nucleus of the thalamus: an anatomical and electrophysiological investigation in the rat, 221
Morin-Surun, M.-P., see Foutz, A.S., 10
Mos, J., Olivier, B., Lammers, J.H.C.M., Van der Poel, A.M., Kruk, M.R. and Zethof, T., Postpartum aggression in rats does not influence threshold currents for EBS-induced aggression, 263

Negoro, H., Uchide, K., Tadokoro, Y., Honda, K. and Higuchi, T., Vaginal distension induces milk ejection-related burst of oxytocin neurones interacting with suckling stimuli in lactating rats, 371
Newton, B.W., Melvin, J.E. and Hamill, R.W., Central neurotoxic effects of guanethidine: altered serotonin and enkephalin neurons within the area postrema, 151
Nieoullon, A., see El Ganouni, S., 239
Ninomiya, Y., Mizukoshi, T., Nishikawa, T. and Funakoshi, M., Ion specificity of rat chorda tympani fibers to chemical and electrical tongue stimulations, 350
Nishikawa, T., see Ninomiya, Y., 350
Nishiye, H., see Obata, K., 169
Nomura, H., Shiosaka, S. and Tohyama, M., Distribution of substance P-like immunoreactive structures in the brainstem of the adult human brain: an immunocytochemical study, 365

Obata, K., Kojima, N., Nishiye, H., Inoue, H., Shirao, T., Fujita, S.C. and Uchizono, K., Four synaptic vesicle-specific proteins: identification by monoclonal antibodies and distribution in the nervous tissue and the adrenal medulla, 169
Olivier, B., see Mos, J., 263
Olton, D.S., Meck, W.H. and Church, R.M., Separation of hippocampal and amygdaloid involvement in temporal memory dysfunctions, 180

Palm, A., see Hydén, H., 405
Pellmar, T.C., see Tolliver, J.M., 133
Pinter, M., see Alstermark, B., 382
Pinter, M., see Alstermark, B., 389
Pinter, M., see Alstermark, B., 395
Proske, U., see Gregory, J.E., 375

Reid, K.H., Marrannes, R., De Prins, E. and Wauquier, A., Strength–duration properties of cathodal pulses eliciting spreading depression in rat cerebral cortex, 361
Reinoso-Suárez, F., see Satorre, J., 231
Rinne, J.O., Muscarinic and dopaminergic receptors in the aging human brain, 162
Robertson, R.T. and Gorenstein, C., 'Non-specific' cholinesterase-containing neurons of the dorsal thalamus project to medial limbic cortex, 282
Russchen, F.T., see Stoof, J.C., 273
Russell, V.A., see Jaffer, A., 267

Sadoshima, J., see Inoue, M., 301

Sasaki, S., see Alstermark, B., 382
Sasaki, S., see Alstermark, B., 389
Sasaki, S., see Alstermark, B., 395
Satorre, J., De la Roza, C., Cano, J. and Reinoso-Suárez, F., Complex convolutions in neurons of the dorsal lateral geniculate nucleus of the normal albino rat, 231
Schachner, M., see Kettenmann, H., 1
Schotman, P., see Verhaagen, J., 142
Schrama, L.H., see De Graan, P.N.E., 345
Schwartz, R.D., see Majewska, M.D., 355
Schwartzkroin, P.A., see Janigro, D., 189
Seregi, A., Keller, M. and Hertting, G., Are cerebral prostanoids of astroglial origin? Studies on the prostanoid forming system in developing rat brain and primary cultures of rat astrocytes, 113
Shiosaka, S., see Nomura, H., 365
Shirao, T., see Obata, K., 169
Sperl, M. and Manteuffel, G., Directional selectivities of visual afferents to the pretectal neuropil in the fire salamander, 332
Stoof, J.C., Russchen, F.T., Verheijden, P.F.H.M. and Hoogland, P.V.J.M., A comparative study of the dopamine–acetylcholine interaction in telencephalic structures of the rat and of a reptile, the lizard *Gekko gecko*, 273
Strick, P.L., see Martino, A.M., 307
Sugitani, M., see Wakakuwa, K., 211
Sumitomo, I., see Wakakuwa, K., 211
Swann, A.C. and Gottesfeld, Z., Deafferentation elicits a transient decrease in Na^+,K^+-ATPase activity and ouabain binding in the olfactory tubercle, 323

Tadokoro, Y., see Negoro, H., 371
Taljaard, J.J.F., see Jaffer, A., 267
Tohyama, M., see Nomura, H., 365
Tolliver, J.M. and Pellmar, T.C., Dithiothreitol elicits epileptiform activity in CA_1 of the guinea pig hippocampal slice, 133

Uchide, K., see Negoro, H., 371
Uchizono, K., see Obata, K., 169

Van der Poel, A.M., see Mos, J., 263
Vehovszky, A., see Balaban, P.M., 201
Verhaagen, J., Edwards, P.M., Jennekens, F.G.I., Schotman, P. and Gispen, W.H., Early effect of an $ACTH_{4-9}$ analog (Org.2766) on regenerative sprouting demonstrated by the use of neurofilament-binding antibodies isolated from a serum raised by α-MSH immunization, 142
Verheijden, P.F.H.M., see Stoof, J.C., 273
Viratelle, O.M., see Voisin, P.J., 65
Voisin, P.J., Girault, J.M., Labouesse, J. and Viratelle, O.M., β-Adrenergic receptors of cerebellar astrocytes in culture: intact cells versus membrane preparation, 65

Wakakuwa, K., Sumitomo, I., Sugitani, M. and Fukuda, Y., Retinal inputs to the geniculate relay cells in the eastern chipmunk (*Tamias sibiricus asiaticus*): a comparison between color and non-color sensitive cells, 211
Wauquier, A., see Reid, K.H., 361
Waxman, S.G., see Fields, R.D., 21
Willoughby, J.O., Menadue, M.F. and Liebelt, H., Activation of serotonin receptors in the medial basal hypothalamus stimulates growth hormones secretion in the unanesthetized rat, 319
Wu, M., see Mogenson, G.J., 221

Zahm, D.S. and Heimer, L., The ventral striatopallidothalamic projection. III. Striatal cells of the olfactory tubercle establish direct synaptic contact with ventral pallidal cells projecting to mediodorsal thalamus, 327
Zakharov, I.S., see Balaban, P.M., 201
Zebrowski, A.F., see Lumia, A.R., 121
Zethof, T., see Mos, J., 263